



BORIC ACID

Material Safety Data Sheet



Distributed by:
Laguna Clay Company
14400 Lomitas Ave
City of Industry, CA 91746
1-800-4Laguna
info@lagunaclay.com
www.lagunaclay.com

Manufactured by:
SEARLES VALLEY MINERALS
13200 MAIN STREET
P.O. BOX 367
TRONA, CALIFORNIA 93592-0367

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME: Boric Acid
MANUFACTURER:
Searles Valley Minerals
13200 Main Street
Trona, CA 93592

EMERGENCY PHONE NUMBER:
24 Hour Information Service: 760-372-2291
CHEMTREC: 800-424-9300
PREPARATION/REVISION DATE: April 01, 2014
Supersedes: December 01, 2011 June 11, 2010, May 3,
2007, May 2, 2006, April 12, 2004, Nov. 1, 2003, Feb.
15, 2001, Aug. 18, 1999 Versions

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

NOTE: See Section 15 for Exposure Limits.

PRODUCT NAME: Boric Acid
FORMULA: H_3BO_3
CHEMICAL NAME: Boric Acid
SYNONYMS: OrthoBoric Acid, Boracic Acid

COMPONENTS:
Material: Boric Acid
CAS Number: 10043-35-3
Percent: 99.755%

Boric Acid is hazardous under the OSHA Hazard Communication Standard based on animal chronic toxicity studies of similar organic Borates; see Section 11 for details on Toxicological Data.

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Boric Acid is a white, odorless, crystalline substance that is not flammable, combustible, or explosive, and it presents no unusual hazard if involved in a fire. Boric Acid presents little or no hazard (to humans) and has low acute oral and dermal toxicities. Care should be taken to minimize the amount of Boric Acid released to the environment to avoid ecological effects. **ROUTES OF EXPOSURE:** In the occupational setting, inhalation is the most important route of exposure. Dermal absorption is usually not important because Boric Acid is not absorbed through the intact skin. **INHALATION:** Mild irritation to nose and throat may occur when the PEL or TLV are exceeded (see Section 15). **EYE CONTACT:** Exposure to Boric Acid dust does not cause eye irritation in normal industrial use. **DERMAL CONTACT:** Boric Acid is non-irritating to the intact skin. Can be readily absorbed through broken or abraded skin. **INGESTION:** Boric Acid products are not intended for ingestion. Amounts greater than one teaspoonful, when ingested, may cause gastrointestinal problems. **CANCER:** Boric Acid is not considered a carcinogen. **REPRODUCTIVE:** A human study of occupationally exposed Borate worker population showed no adverse reproductive effects. Animal studies of similar organic Borates demonstrated reproductive effects in males. **TARGET ORGANS:** No target organs have been determined in humans. High dose animal ingestion studies indicate that the testes is the target organ. **SIGNS AND SYMPTOMS OF EXPOSURE:** Symptoms of accidental over-exposure to Boric Acid have been associated with ingestion or by absorption through large areas of damaged skin. These may include nausea, vomiting, and diarrhea, with delayed effects of skin redness and peeling. See Section 11 for details on Toxicological Data.

SECTION 4: EMERGENCY & FIRST AID PROCEDURES

EYES: Continuously flush exposed eyes, occasionally lifting the upper and lower lids. Get medical attention if irritation persists. **SKIN:** Boric Acid is non-irritating in the normal occupational setting. If irritation occurs, wash affected area with soap or mild detergent and large amounts of water. Get medical attention if irritation persists. **INHALATION:** No specific treatment is necessary since Boric Acid is not likely to be hazardous by inhalation. Prolonged exposure to dust levels in excess of regulatory limits should always be avoided. **INGESTION:** If amounts greater than one teaspoon are swallowed, give two glasses of water to drink and seek medical attention. **NOTE TO PHYSICIAN:** Adult ingestion of a few grams requires observation only. For ingestion in excess of 6 grams, maintain adequate kidney function and force fluids. Gastric lavage is recommended for symptomatic patients only. Hemodialysis should be reserved for massive acute ingestion or patients with renal failure. Boric Acid analysis of urine or blood is useful only for documenting exposure and should not be used for evaluating severity of poisoning or to guide treatment. [additional reference: Litovitz, T.L., Norman, S.A., Veltri, J.C., Annual Report of the American Association of Poison Control Centers Data Collection system. Am J. of Emergency Med. 1986; 4:427-458.]

SECTION 5: FIRE FIGHTING MEASURES

GENERAL HAZARD: Boric Acid is not flammable, combustible, or explosive. Boric Acid presents no unusual hazards when involved in a fire. This product is an inherent fire retardant.

UEL/LEL: Not Applicable

FLASH POINT: Not Applicable

AUTOIGNITION TEMPERATURE: Not Applicable

FLAMMABILITY CLASSIFICATION: Flammability Classification (29 CFR 1910.1200), Non-flammable solid.

EXTINGUISHING MEDIA: Any fire extinguishing media may be used on nearby fires.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACTION TO TAKE FOR SPILLS OR LEAKS: Boric Acid may damage trees and vegetation (see Ecological Information, Section 12, for further information). For dry spills, sweep, vacuum, or shovel and place in containers for disposal in accordance with applicable regulations (refer to Sections 13 and 15 for additional references and information regarding California and EPA regulations). Avoid contamination of bodies of water during cleanup. Boric Acid will cause localized contamination of surrounding waters depending on amount dissolved in these waters. Some damage to local vegetation, fish, and other aquatic life may be expected (see Section 12). Under usual conditions, no protective equipment is required.

Boric Acid is a non-hazardous waste when spilled or disposed of, as defined in the Resource Conservation and Recovery Act (RCRA) regulations (40 CFR 261). (See Section 15)

SECTION 7: HANDLING & STORAGE

GENERAL: Dry, indoor storage under normal atmospheric conditions is recommended. To maintain package integrity and to minimize caking of the product, bags should be handled on a "first-in-first-out" basis. Good housekeeping should be maintained to minimize dust accumulation and generation. Boric Acid may cake in moist conditions.

HYGIENIC PRACTICES: Wash hands thoroughly with soap and water after handling, and before eating, drinking, or smoking.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use local exhaust ventilation to keep airborne levels below exposure limits (see Section 15). **EYE PROTECTION:** Use goggles or vented safety glasses in excessively dusty conditions. **SKIN PROTECTION:** Not required under normal conditions. Use if excessively dusty or if skin is damaged. **RESPIRATORY PROTECTION:** Use appropriate NIOSH/MSHA certified respirators when levels are expected to exceed exposure Limits (see Section 15).

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

SOLUBILITY IN WATER: 4.7% at 20°C; 27.5% at 100°C

APPEARANCE: White crystalline solid, odorless.

MOLECULAR WEIGHT: 61.83

BOILING POINT: Not Applicable

MELTING POINT: 169°C

pH VALUE: At 20°C: 1% solution - 5.1

FLASH POINT: None

SPECIFIC GRAVITY (H₂O = 1 at 4°C): 1.44

VAPOR PRESSURE: Not Applicable

BULK DENSITY: 57.0 Lbs./ CuFt.

SECTION 10: STABILITY & REACTIVITY DATA

STABILITY: Stable under normal conditions; forms partial hydrate in moist air. When heated, water is lost forming Metaboric Acid (HBO₂). On further heating, the material is converted to boric oxide (B₂O₃).

INCOMPATIBILITY: Boric Acid reacts as a weak acid which may cause corrosion of base metals. Reaction with strong reducing agents such as metal hydrides or alkali metals will generate hydrogen gas which could create an explosive hazard.

HAZARDOUS DECOMPOSITION PRODUCTS: None known.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11: TOXICOLOGICAL EFFECTS

EYES: Boric Acid, when applied to the eyes of albino rabbits (Draize test), produced effects of mild erythema, and mild to moderate discharge in 5 of 6 rabbits. All signs subsided by the fourth day after application. Fifty years of occupational exposure history indicates no human eye injury from exposure to Boric Acid. **SKIN:** Boric Acid was applied to the skin of albino rabbits. Slight to no irritation persisted 72 hours after application. No evidence of tissue damage was found. Low acute dermal toxicity; LD₅₀ for rabbits is expected to be greater than 2,000 mg/kg of body weight (test conducted per 16 CFR 1500.41). Boric Acid is not absorbed through intact skin. **INHALATION:** Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposure to Boric Acid and Sodium Borate dust. **INGESTION:** Low acute oral toxicity; LD₅₀ for Sprague-Dawley rats is 3,500 to 4,100 mg/kg of body weight. **CARCINOGENICITY:** Boric Acid is not listed as a carcinogen by the Environmental Protection Agency (EPA), the State of California, or the International Agency for Research on Cancer (IARC). A report issued by the National Toxicology Program showed "no evidence of carcinogenicity" from a full two-year bioassay on Boric Acid on mice at feed doses of 2,500 to

5,000 ppm in the diet. No mutagenic activity was observed for Boric Acid in a recent battery of four short-term mutagenicity assays. **REPRODUCTIVE:** A human study of occupationally exposed Borate worker population showed no adverse reproductive effects. Animal studies indicate that Boric Acid reduces or inhibits sperm production, causes testicular atrophy, and, when given to pregnant animals during gestation, may cause developmental changes. These feed studies were conducted under chronic exposure conditions leading to doses many times in excess of those that could occur through inhalation of dust in the occupational setting.

Dietary levels of Boric Acid of 6,700 ppm in chronic feeding studies in rats and dogs produced testicular changes [Weir, Fisher, 1972]. In chronic feeding studies of mice on diets containing 5,000 ppm Boric Acid, testicular atrophy was present, while mice fed 2,500 ppm Boric Acid showed no significant increase in testicular atrophy. In another chronic Boric Acid study, degeneration of seminiferous tubules was present together with a reduction of germ cells in mice fed 4,500 ppm Boric Acid. In a reproduction study on rats, 2,000 ppm of dietary Boric Acid had no adverse effect on lactation, litter size, weight and appearance [Weir, Fisher, 1972]. In a continuous breeding study in mice, there was a reduction in fertility rates in males receiving 4,500 ppm Boric Acid, but not for females receiving 4,500 ppm Boric Acid [Fail et al., 1992].

Boric Acid at dietary levels of 1,000 ppm administered to pregnant female rats throughout gestation caused a slight reduction in fetal weight, but was considered close to NOAEL. Doses of 2,000 ppm and above caused fetal malformations and maternal toxicity. In mice, the no effect level for fetal weight reduction and maternal toxicity was 1,000 ppm Boric Acid. Fetal weight loss was noted at dietary levels of 2,000 ppm and above. Malformations (agenesis or shortening of the thirteenth rib) were seen at 4,000 ppm [Heindal et al., 1992].

SECTION 12: ECOLOGICAL DATA

NOTE: Boron is the element in Boric Acid which is used to characterize Borate product ecological effects. To convert Boric Acid to boron multiply by 0.1748.

FISH TOXICITY: Boron naturally occurs in seawater at an average concentration of 5 mg B/liter. In laboratory studies the acute toxicity (96-hr LC₅₀) for under-yearling Coho salmon (*Onchorhynchus kisutch*) in seawater was determined as 40 mg B/L (added as Sodium Metaborate). The Minimum Lethal Dose for minnows exposed to Boric Acid at 20°C for 6 hours is 18,000 to 19,000 mg/l in distilled water, 19,000 to 19,500 in hard water.

Rainbow trout (*S. gairdneri*)
24-day LC₅₀ = 150.0 mg/B/L
36-day NOEC-LOEC = 0.75-1 mg/B/L
Goldfish (*Carassius auratus*)
7-day NOEC-LOEC = 26.50 mg/B/L
3-day LC₅₀ = 178 mg/B/L

BIRD TOXICITY: Dietary levels of 100 mg/kg resulted in reduced growth of female mallards. As little as 30 mg/kg fed to mallard adults adversely affected the growth rate of offspring.

INVERTEBRATE TOXICITY: Daphnids
48-hour LC₅₀ = 133 mg/B/L
21-day NOEC-LOEC = 6-13 mg/B/L

PHYTOTOXICITY: Although boron is an essential micro-nutrient for healthy growth of plants, it can be harmful to boron-sensitive plants in higher quantities. Plants and trees can easily be exposed by root absorption to toxic levels of boron in the form of water-soluble Borate leached into nearby waters or soil. Care should be taken to minimize the amount of boron released to the environment. **ENVIRONMENTAL FATE DATA: Persistence/Degradation:** Boron is naturally occurring and is commonly found in the environment. Boric Acid decomposes in the environment to natural Borate. **Soil Mobility:** The product is soluble in water and is leachable through normal soil.

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL GUIDANCE: Small amounts of Boric Acid can usually be disposed of at municipal landfill sites, and requires no special treatment. Tonnage quantities are not however, recommended for the landfill, and if possible, should be re-used for an appropriate application. Refer to state and local regulations for applicable site-specific requirements. Boric Acid is not currently listed under any sections of the U.S. Environmental Protection Agency (EPA) Resource Conservation and Recovery Act (RCRA). **CALIFORNIA HAZARDOUS WASTE DESIGNATION:** California identifies substances with acute LD₅₀'s of less than 2,500 mg/kg as "hazardous wastes". Boric Acid is, therefore, not a "hazardous waste" if spilled in California.

See Section 15 for details on Regulatory Information.

SECTION 14: TRANSPORT REGULATIONS

US DEPARTMENT of TRANSPORTATION (DOT) IDENTIFICATION NUMBER: Boric Acid is not a DOT Hazardous Material or Hazardous Substance. **INTERNATIONAL TRANSPORTATION:** Boric Acid has no U.N. number, and is not regulated under international rail, highway, water, or air transport regulations.

SECTION 15: REGULATORY INFORMATION

TSCA NUMBER: 10043-35-3

RCRA (40 CFR 261): Not listed under any section.

CERCLA (SUPERFUND): Not listed under any section.

CLEAN WATER ACT (CWA): Boric Acid is not regulated by any water quality criteria under Section 304, is not

listed as priority pollutant under Section 307, and is not listed as a hazardous substance under Section 311.

SAFE DRINKING WATER ACT (SDWA): Not regulated under SDWA, 42 USC 300g-1, 40 CFR 141 et seq. Consult state and local regulations for possible water quality advisories involving boron.

OCCUPATIONAL EXPOSURE LIMITS: Boric Acid is listed/regulated by OSHA, CAL OSHA, or ACGIH as "Particulate Not Otherwise Classified" or "Nuisance Dust".

OSHA: Permissible Exposure Limit: 10 mg/m³, total dust
5 mg/m³, respirable dust

ACGIH: Threshold Limit Value: 2 mg/m³

CALIFORNIA OSHA: Permissible Exposure Limit: 5 mg/m³

INTERNATIONAL AGENCY for RESEARCH on CANCER: Not listed as a carcinogen.

NTP ANNUAL REPORT ON CARCINOGENS: Not listed as a carcinogen.

OSHA CARCINOGEN: Not listed as an OSHA carcinogen.

CONEG MODEL LEGISLATION: Meets all CONEG requirements relating to heavy metal limitations on components of packaging materials.

CALIFORNIA PROPOSITION 65: Not listed as carcinogen or reproductive toxin.

FEDERAL DRUG AGENCY (FDA): Pursuant to 21 CFR 175.105, 176.180, and 181.30, Boric Acid is approved by the FDA for use in adhesive components of packaging materials, as a component of paper coatings on such materials, or for use in the manufacture thereof, which materials are expected to come in contact with dry food products.

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEMS (WHMIS): Boric Acid is regulated as a Controlled Product and is classified as D2A because of reproductive toxicity.

SARA III Section 302, 303, 311, 312, 313: Not Listed

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

Product Label Text Hazard Information:

- May be harmful if swallowed.
- May cause reproductive harm or birth defects based on animal data.
- Avoid contamination of food or feed.
- Not for food, drug or pesticidal use (may be used as a pesticide when properly registered for such use).
- Practice good housekeeping.
- Refer to MSDS.

• **KEEP OUT OF THE REACH OF CHILDREN. National Fire Protection Association (NFPA) Classification:**

4 = Severe, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal

Health	0
Flammability	0
Reactivity	0

Hazardous Materials Information Systems (HMIS):

4 = Extreme, 3 = High, 2 = Moderate, 1 = Slight, 0 = Insignificant

Blue: (Acute Health)	1*
Red: (Flammability)	0
Yellow: (Reactivity)	0

* Chronic Effects (for explanation see Section 11)

NOTICE

Judgements as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Searles Valley Minerals extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

REFERENCES

- Amdur, M.O., J. Doull, and C.D. Klassen, eds. 1991. *Cassarett and Doull's Toxicology: The Basic Science of Poisons*. 4th ed. New York: Pergamon Press.
- American Conference of Governmental Industrial Hygienists (ACGIH). 1986. *Documentation of threshold limit values and biological exposure indices*. 5th ed. Cincinnati, OH.
- American Conference of Governmental Industrial Hygienists (ACGIH). 1990. *1990-1991 Threshold limit values for chemical substances and physical agents and biological exposure indices*. Cincinnati, OH.
- Budavari, S., M.J. O'Neil, A. Smith, and P.E. Heckelman, eds. 1989. *The Merck Index*. 11th ed. Rahway, NJ: Merck & Co., Inc.
- Clayton, G.D., and F.E. Clayton, eds. 1981. *Patty's industrial hygiene and toxicology*. 3d ed. New York: Wiley & Sons.
- Department of Transportation (DOT). 1990. 49 § 172.102. October 1.
- Department of Transportation (DOT). 1991. 46 § 150.105. August 23.
- Gosselin, R.E., R.P. Smith, and H.C. Hodge. 1984. *Clinical Toxicology of Commercial Products*. 5th ed. Baltimore, MD: Williams and Wilkins.
- Grant, W.M. 1974. *Toxicology of the Eye*. 2nd ed. Springfield, IL: Charles C. Thomas.
- Grayson, M., and D. Eckroth, eds. 1991. *Kirk-Othmer Encyclopedia of Chemical Technology*. Vols. 1-26. 3d ed. New York: Wiley & Sons.
- International Agency for Research on Cancer (IARC). 1987. *IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Supplement 7, Overall evaluations of carcinogenicity: An updating of IARC monographs 1 to 42*. Lyon, France: World Health Organization.
- Lide, D.R., ed. 1990. *CRC handbook of chemistry and physics*. 71st ed. Boca Raton, FL: CRC Press Inc.
- National Library of Medicine (NLM). 1991a. *Hazardous substances databank*. Bethesda, M.D.
- National Library of Medicine (NLM). National Institute for Occupational Safety and Health (NIOSH). Department of Health and Human Services. 1991b. *Registry of toxic effects of chemical substances (RTECS)*.
- National Toxicology Program (NTP). Division of Toxicology Research and Testing. 1991. *Chemical status report*. Research Triangle Park, NC. July.
- Occupational Safety and Health Administration (OSHA). 1990. 29 § 1910.1000. July 1.
- Sax, N.I., and R.J. Lewis, Sr., eds. 1989. *Dangerous properties of industrial materials*. 7th ed. New York: Van Nostrand Reinhold.
- Shepard, T.H. 1986. *Catalog of teratogenic agents*. 5th ed. Baltimore, MD: Johns Hopkins University Press.
- Sittig, M. 1985. *Handbook of toxic and hazardous chemicals and carcinogens*. 2d ed. Park Ridge, NJ: Noyes Publications.
- Verschueren, K. 1983. *Handbook of environmental data on organic chemicals*. 2d ed. New York: Van Nostrand Reinhold Company, Inc.
- Wegman, D.H., E.A. Eisen, R.G. Smith. 1991. *Acute and Chronic Respiratory Effects of Sodium Borate Particulate Exposures*. Final Report to U.S. Borax.
- Weir, R.J., R.S. Fisher. 1972. *Toxicological Studies on Borax and Boric Acid*. Toxicol Appl Pharmacol 23:351-364.
- Whorton, D. *Reproductive Effects of Inorganic Borates on Male Employees: Birth Rate Assessment*. Final Report to U.S. Borax, ENSR Document No. 6966-001.