



# Material Safety Data Sheet

417-W

Y/Ref.:  
O/Ref.: US

<b>ZINC OXIDE EPM-E</b>	<b>ISSUED DATE</b>	<b>REVISED DATE</b>
	04/20/1993	27.07.1998

**SECTION I**

<b>Importer :</b> SOGEM USA Inc. Magnolia building, Suite 110 3120 Highwoods Boulevard Raleigh, NC 27604	<b>Emergency Telephone Number :</b> transport emergencies : CHEMTREC phone (800) 424 - 9300 <b>Telephone Number for General Information :</b> 919 874 7171
--	---

**SECTION II - HAZARDOUS INGREDIENTS IDENTIFICATION INFORMATION**

Hazardous components	CAS Nr.	Weight %	OSHA : PEL-TWA	ACGIH : TLV - TWA	Remarks
Zinc oxide	1314-13-2	99.5	ZnO fume : 5mg/m <sup>3</sup> ZnO total dust : 15 mg/m <sup>3</sup> respirable fraction : 5 mg/m <sup>3</sup>	ZnO fume : 5mg/m <sup>3</sup> - STEL : 10 mg/m <sup>3</sup> ZnO dust : 10 mg/m <sup>3</sup>	

**SECTION III - PHYSICO-CHEMICAL CHARACTERISTICS**

<b>Boiling Point</b> : N/A	<b>Specific Gravity (H<sub>2</sub>O = 1)</b> : 5.6
<b>Vapor Pressure (mm Hg.)</b> : N/A	<b>Melting Point</b> : 1970°C
<b>Vapor Density (AIR = 1)</b> : N/A	<b>Evaporation Rate (butyl acetate = 1)</b> : N/A
<b>Solubility in Water</b> : Insoluble in water.	
<b>Appearance and Odor</b> : powder, odorless.	

**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**

**Flash Point (Method Used)** : N/A      **Flammable Limits**: N/A      **LEL** : ...      **UEL** : ...

**Extinguishing Media** : a) recommended : any extinguishing media can be used.  
b) to avoid : none known.

**Special Fire Fighting Procedures** : Fire Fighters should wear proper protective clothing and approved self-contained breathing apparatus.

**Unusual Fire and Explosion Hazards** : at very high temperatures, harmful fumes may be formed.

Product name : zinc oxide EPN

**SECTION V REACTIVITY DATA**

Stability : Unstable : no. Conditions to Avoid : none known.  
Stable : yes.

Incompatibility (Materials to Avoid) : none known.

Hazardous Decomposition or Byproducts : none.

Hazardous Polymerization : May occur : no. Conditions to avoid : none known.  
Will not occur : yes.

**SECTION VI HEALTH HAZARD DATA**

Possible routes of entry : Inhalation : x Ingestion : x Skin :

**Acute hazards :****Inhalation :**

LC<sub>50</sub> inhalation, mouse : 2500 mg/m<sup>3</sup>. Inhalation is irritating for the respiratory tract.

Zinc fever may be caused by freshly formed fumes of ZnO during the manufacturing process, but not be the product as it is packed and sold.

**Ingestion :**

LD<sub>50</sub> oral, mouse : 7950 mg/kg.

Large oral doses may produce intestinal obstruction and nausea, fever and stomach cramps.

**Skin contact :**

Excessive skincontact may cause itching.

**Eye contact :**

Pulverulent product : moderately irritating to the eyes.

**Chronic Effects :**

No data available.

**Irritation/sensitization :**

Moderately irritating.

**Medical conditions which may be aggravated by exposure :**

None known.

Product name : zinc oxide EPM

3

**Emergency and first aid procedures :**

**Inhalation :** In case of Inhalation, terminate exposure immediately and move to fresh air. If necessary, obtain medical attention.

**Ingestion :** Drink lots of water immediately. Contact a physician.

**Skin contact :** Wash with soap and water.

**Eye contact :** Rinse eyes with large amounts of water, including under eyelids. Obtain medical attention if irritation occurs.

**SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE****Steps to be taken in case material is released or spilled :**

Collect spilled zinc oxide by any suitable means and return to process, or to producer for recovery. Use approved respiratory protection against fumes/dust if the occupational exposure limit could be exceeded. Prevent zinc oxide from entering into surface waters.

**Waste disposal method :**

Waste disposal methods must comply with federal, state and local disposal or discharge laws. Zinc oxide should be recycled.

**Precautions to be taken in handling and storing :**

Avoid breathing fumes or dust, and contact with skin and eyes. Use approved respirators if the occupational exposure limit is exceeded.

Normal storage conditions in order to avoid deterioration of the product by carbonization, but presenting no risks for the operators and the natural environment.

**Other precautions :**

No other special precautions needed.

**SECTION VIII GENERAL MEASURES****Respiratory protection (specific type) :**

Approved respiratory protection (dust mask) is required if airborne dust concentration exceeds the occupational exposure limits. Periodic air quality testing is needed to insure adherence to acceptable levels.

**Ventilation :**

Use sufficient local exhaust ventilation to keep dust and fume concentrations below occupational exposure limits.

**Protective gloves :**

Wear suitable gloves.

**Eye protection :**

Wear safety glasses.

**Other protective clothing or equipment :**

No other special precautions needed.

**Work/Hygienic Practices :**

Practise good personal hygiene procedures. Wash hands prior to eating, drinking or smoking. Avoid ingestion or inhalation of zinc oxide.

**General :**

—

Product name : zinc oxide EPA

4

**SECTION IX ADDITIONAL INFORMATION****TRANSPORT INFORMATION :**

UN nr. : not applicable  
 IMDG-Code : " "  
 ICAO/IATA : " "  
 ADR/RID nr. : " "

**REGULATORY INFORMATION :**

- a) CERCLA Hazardous Substance :  yes  no  
 Reportable quantity : 1 lb (\*)
- b) SARA, title III, Extremely Hazardous Substance  yes  no  
 Reportable quantity : not applicable  
 Threshold planning quantity : not applicable
- c) Toxic Chemical Release Report  
 Zinc (fume or dust) is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-know Act of 1986 and 40 CFR Part 372.
- d) Zinc compounds are listed under TSCA approval.
- (\*) No reporting of release of this hazardous substance is required if the diameter of the pieces of the solid metal is equal to or exceeds 100 micrometers (0.004 inches).

**REFERENCES :****PERMISSIBLE CONCENTRATION REFERENCES**

- OSHA (U.S. Occupational Safety & Health Administration, PEL : Permissible Exposure Limit).
- ACGIH TLV - TWA : American Conference of Governmental Industrial Hygienists (Threshold Limit Value - Time Weighted Average), edition 1997.

**HAZARD INFORMATION REFERENCES**

- RTECS : Registry of Toxic Effects of Chemical Substances; NIOSH, edition January 1997.

**GENERAL**

- Sax's Dangerous Properties of Industrial Materials, 8th edition, Richard J. Lewis Sr.

Prepared by : UM OXYDE Nederland  
 Muggenweg 2  
 NL - 6245 AB Eijsden (The Netherlands)

This Material Safety Data Sheet should be made available by the buyer to each of buyer's plant workers. The buyer assumes all risk in connection with the use and handling of the material. The seller assumes no responsibility or liability in connection with the information supplied in this sheet or for any damage or injury caused by the material; reasonable safety procedures should be followed. The seller assumes no responsibility for injury or damage caused by use of the material even if reasonable safety procedures are followed. The information contained in this sheet is developed from what is believed to be accurate and reliable sources but the seller makes no warranties, either expressed or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.