

RED IRON OXIDE NR4284T

Version 1.0 Revision Date: 06/12/2017 SDS Number: 400000005625 Date of last issue: -
Date of first issue: 06/12/2017

SECTION 1. IDENTIFICATION

Product name : RED IRON OXIDE NR4284T

Manufacturer or supplier's details

Company name of supplier : Venator Materials Corporation
Address : P.O. Box 4980
The Woodlands,
TX 77387
United States of America (USA)
Telephone : TechInfo: (800) 367-8462
E-mail address of person responsible for the SDS : msds@venatorcorp.com
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887


Recommended use of the chemical and restrictions on use

Recommended use : Industrial use
Colouring agents, pigments
Restrictions on use : Do not use for cosmetics, food additives, drug additives, feed additives or permanent implant applications., Due to lack of related experience or data, the supplier cannot approve this use.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Carcinogenicity (Inhalation) : Category 1A
Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Lungs)

GHS label elements

Hazard pictograms : 

Signal word : Danger
Hazard statements : H350i May cause cancer by inhalation.
H373 May cause damage to organs (Lungs) through prolonged or repeated exposure if inhaled.
Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
Storage:
 P405 Store locked up.
Disposal:
 P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
diiiron trioxide	1309-37-1	70 - 90
limestone	1317-65-3	1 - 5
quartz (SiO ₂)	14808-60-7	1 - 5

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.
 Consult a physician.

If inhaled : Call a physician or poison control centre immediately.
 If breathed in, move person into fresh air.
 If unconscious, place in recovery position and seek medical advice.
 Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and water.
 If on clothes, remove clothes.
 If skin irritation persists, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.
 Remove contact lenses.
 Protect unharmed eye.

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

- If swallowed : Rinse mouth with water.
If material has been swallowed and the exposed person is conscious, give small quantities of water to drink.
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
If symptoms persist, call a physician or Poison Control Centre immediately.
- Most important symptoms and effects, both acute and delayed : Eye contact
Dust contact with the eyes can lead to mechanical irritation.
Inhalation may provoke the following symptoms:
Symptoms of Overexposure
Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.
Skin contact may provoke the following symptoms:
The product is not irritant but as with all fine powders can absorb moisture and natural oils from the surface of the skin during prolonged exposure.
Individuals with sensitive skin may experience skin drying on prolonged or repeated exposure.
- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.
- Notes to physician : No specific measures identified.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Cool closed containers exposed to fire with water spray.
- Hazardous combustion products : No data is available on the product itself.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Standard procedure for chemical fires.
- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

for firefighters

Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Use personal protective equipment.
Prevent unauthorised persons entering the zone.
Avoid dust formation.
Remove all sources of ignition.
Ensure adequate ventilation.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Keep people away from and upwind of spill/leak.
Only qualified personnel equipped with suitable protective equipment may intervene.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".
For disposal considerations see section 13.
The danger areas must be delimited and identified using relevant warning and safety signs.
- Environmental precautions : No special environmental precautions required.
Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid creating dusty conditions and prevent wind dispersal.
Clean-up methods - large spillage
Use personal protective equipment as required.
Keep in suitable, closed containers for disposal.
Clean contaminated floors and objects thoroughly while observing environmental regulations.
After cleaning, flush away traces with water.
Do not flush into surface water or sanitary sewer system.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Minimize dust generation and accumulation.
Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.

RED IRON OXIDE NR4284T

Version 1.0 Revision Date: 06/12/2017 SDS Number: 400000005625 Date of last issue: -
Date of first issue: 06/12/2017

Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
diiron trioxide	1309-37-1	TWA (Respirable fraction)	5 mg/m ³	ACGIH
		TWA (Fumes)	10 mg/m ³	OSHA Z-1
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
limestone	1317-65-3	TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
quartz (SiO ₂)	14808-60-7	TWA (respirable)	10 mg/m ³ / %SiO ₂ +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO ₂ +5	OSHA Z-3
		TWA (Respirable fraction)	0.025 mg/m ³ (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m ³	OSHA Z-1

Engineering measures : Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn.

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

In the case of dust or aerosol formation use respirator with an approved filter.

Dust safety masks are recommended when the dust concentration is more than 10 mg/m³.

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

- Filter type : Particulates type
- Hand protection Directive : Use gloves approved to relevant standards e.g. EN 374 (Europe), F739 (US).
- Remarks : For prolonged or repeated contact use protective gloves.
- Eye protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Tightly fitting safety goggles
Ensure that eyewash stations and safety showers are close to the workstation location.
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Ensure that eye flushing systems and safety showers are located close to the working place.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Wash face, hands and any exposed skin thoroughly after handling.
Remove contaminated clothing and protective equipment before entering eating areas.
Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

Appearance	: powder
Colour	: red
Odour	: odourless
Odour Threshold	: No data is available on the product itself.
pH	: No data is available on the product itself.
Freezing point	: No data is available on the product itself.
Melting point	: No data is available on the product itself.
Boiling point/boiling range	: > 1,000 °C
Flash point	: No data is available on the product itself.
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit	: No data is available on the product itself.
Lower explosion limit	: No data is available on the product itself.
Vapour pressure	: No data is available on the product itself.
Relative vapour density	: No data is available on the product itself.
Relative density	: No data is available on the product itself.
Density	: No data is available on the product itself.
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Thermal decomposition	: No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	: No data is available on the product itself.
Explosive properties	: No data is available on the product itself.
Oxidizing properties	: No data is available on the product itself.

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

Particle size : No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.
 Chemical stability : The product is chemically stable.
 Possibility of hazardous reactions : Stable under recommended storage conditions.
 No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : peroxides, e.g. hydrogen peroxide
 aluminum dust
 calcium hypochlorite
 hydrazine
 Ethylene oxide
 caesium carbide

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data is available on the product itself.

Acute toxicity**Components:**

diiron trioxide:

Acute oral toxicityComponents : LD50 (Rat, male and female): > 5,000 mg/kg
 Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)

LD50 (Rat, male): > 10,000 mg/kg
 Method: OECD Test Guideline 401

limestone:

Acute oral toxicityComponents : LD50 (Rat): 6,450 mg/kg

Components:

diiron trioxide:

Acute inhalation toxicity : LC50 (Rat, male and female): 5 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : No data available

Acute toxicity (other routes of : No data available

RED IRON OXIDE NR4284T

Version 1.0 Revision Date: 06/12/2017 SDS Number: 400000005625 Date of last issue: -
Date of first issue: 06/12/2017

administration)

Skin corrosion/irritation**Components:**

diiron trioxide:
Species: Rabbit
Exposure time: 4 h
Assessment: No skin irritation
Method: OECD Test Guideline 404
Result: No skin irritation

Serious eye damage/eye irritation**Components:**

diiron trioxide:
Species: Rabbit
Result: No eye irritation
Exposure time: 24 h
Assessment: No eye irritation
Method: OECD Test Guideline 405

limestone:
Species: Rabbit
Result: Mechanical irritation of the eyes is possible.
Assessment: No eye irritation

Respiratory or skin sensitisation**Components:**

diiron trioxide:
Exposure routes: Dermal
Species: No information available.
Assessment: Did not cause sensitisation on laboratory animals.
Method: Other guidelines
Result: Does not cause skin sensitisation.

Exposure routes: Skin
Species: Mouse
Method: OECD Test Guideline 429
Result: Does not cause skin sensitisation.

limestone:
Exposure routes: Skin
Species: Guinea pig
Method: OECD Test Guideline 406
Result: Does not cause skin sensitisation.

Assessment: No data available

Germ cell mutagenicity**Components:**

diiron trioxide:
Genotoxicity in vitro : Test Type: Ames test

RED IRON OXIDE NR4284T

Version 1.0 Revision Date: 06/12/2017 SDS Number: 400000005625 Date of last issue: -
Date of first issue: 06/12/2017

Species: Salmonella typhimurium
Concentration: 8 - 40 - 200 - 1000 - 5000 µg/
Metabolic activation: with and without metabolic activation
Method: reverse mutation assay
Result: negative

Test Type: Chromosome aberration test in vitro
Species: Chinese hamster lung cells
Concentration: 0, 6.25, 12.5 and 25 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Components:

diiron trioxide:
Genotoxicity in vivo

: Test Type: in vivo assay
Species: Rat (female)
Dose: 0, 500, 1000, or 2000 mg/kg bw
Result: negative

Test Type: in vivo assay
Species: Rat (male)
Dose: 3.75 mg/kg bw
Result: negative

Carcinogenicity**Components:**

diiron trioxide:
Species: Rat, (male and female)
Application Route: Intraperitoneal injection
Exposure time: 790 - 914 days
Result: negative

Species: Rat, (male and female)
Application Route: Intraperitoneal injection
Exposure time: 798 days
Result: negative

quartz (SiO₂):
Species: Rat
Application Route: Inhalation
Exposure time: 24 month(s)
Dose: 1 mg/m³
Frequency of Treatment: 6 hour
Result: positive
Target Organs: Lungs

Species: Mouse
Application Route: Inhalation
Exposure time: 24 month(s)
Dose: 1.95 mg/m³
Frequency of Treatment: 8 hour
Result: negative

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

Components:

quartz (SiO₂):
Carcinogenicity - Assessment : Positive evidence from human epidemiological studies (inhalation)

IARC Group 1: Carcinogenic to humans

quartz (SiO₂)

ACGIH Suspected human carcinogen

quartz (SiO₂)

OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Effects on fertility : No data available

Effects on foetal development : No data available

Reproductive toxicity - Assessment : No data available

STOT - single exposure

No data available

STOT - repeated exposure**Components:**

quartz (SiO₂):
Exposure routes: inhalation (dust/mist/fume)
Target Organs: Lungs
Assessment: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:**

diiron trioxide:
Species: Rat, male
>= 30 mg/m³
Application Route: inhalation (dust/mist/fume)
Test atmosphere: dust/mist
Exposure time: 5 days

Repeated dose toxicity - Assessment : No data available

RED IRON OXIDE NR4284T

Version 1.0 Revision Date: 06/12/2017 SDS Number: 400000005625 Date of last issue: -
Date of first issue: 06/12/2017

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

diiron trioxide:
Toxicity to fish : EC50 (Brachydanio rerio (zebrafish)): > 50,000 mg/l
Exposure time: 96 h
Test Type: static test

limestone:
Toxicity to fish : LC50: > 56,000 mg/l
Exposure time: 96 h

Components:

diiron trioxide:
Toxicity to daphnia and other aquatic invertebrates : EC50: > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

Components:

diiron trioxide:
Toxicity to algae : EC50 (Other): > 100 mg/l

M-Factor (Acute aquatic toxicity) : No data available

Toxicity to fish (Chronic toxicity) : No data available

Components:

limestone:
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (Daphnia magna (Water flea)): > 350 mg/l
Exposure time: 125 d
Test Type: semi-static test
Test substance: Fresh water

M-Factor (Chronic aquatic toxicity) : No data available

Components:

diiron trioxide:
Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l
Exposure time: 3 h
Test Type: static test
Method: ISO 8192

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Persistence and degradability

Biodegradability - Product : Result: Not readily biodegradable.

Components:

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

diiron trioxide:
Biochemical Oxygen Demand (BOD) : 0 mgO₂/g

Components:

diiron trioxide:
Chemical Oxygen Demand (COD) : 0 mgO₂/g
BOD/COD : No data available
ThOD : No data available
BOD/ThOD : No data available
Dissolved organic carbon (DOC) : No data available
Physico-chemical removability : No data available
Stability in water : No data available
Photodegradation : No data available
Impact on Sewage Treatment : No data available

Bioaccumulative potential

Bioaccumulation - Product : Remarks: Bioaccumulation is unlikely.

Components:

limestone:
Partition coefficient: n-octanol/water : log Pow: < 1
Method: No information available.

Mobility in soil

Mobility : No data available
Distribution among environmental compartments : No data available
Stability in soil : No data available

Other adverse effects

Environmental fate and pathways : No data available
Results of PBT and vPvB assessment : No data available
Endocrine disrupting potential : No data available

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

Adsorbed organic bound halogens (AOX) : No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

Global warming potential (GWP) : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA**

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**DOT Classification**

Not regulated as dangerous goods

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act**

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.
quartz (SiO₂) 14808-60-7

The components of this product are reported in the following inventories:

CH INV	: The formulation contains substances listed on the Swiss Inventory, On the inventory, or in compliance with the inventory
DSL	: This product contains one or several components listed in the Canadian NDSL.
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals


No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

RED IRON OXIDE NR4284T

Version 1.0 Revision Date: 06/12/2017 SDS Number: 400000005625 Date of last issue: -
 Date of first issue: 06/12/2017

SECTION 16. OTHER INFORMATION**Further information****NFPA:****HMIS® IV:**

HEALTH	*	1
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

LABEL CODE : 0003

Sources of key data used to compile the Safety Data Sheet : Information taken from reference works and the literature., Information derived from practical experience.

Revision Date : 06/12/2017

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and

RED IRON OXIDE NR4284T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/12/2017	400000005625	Date of first issue: 06/12/2017

behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Venator Materials Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED VENATOR EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR VENATOR PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.