According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1133986		CC274-2 Glaze Frit	BAG50LB
Product specification	RS_FP_307428	Revision Date	02/16/2023
Version	2.1	Print Date	02/17/2023
Material number	1133986	Page	Page 1 of 11

SECTION 1. IDENTIFICATION

Product name Product code		1133986 CC274-2 Glaze Frit 1133986	BAG50LB
Manufacturer or supplier's	deta	ails	
Company name of supplier	:	Vibrantz Corporation	
Address	:	6060 Parkland Blvd. Suite 2 Mayfield Heights OH 44124	
Telephone	:	(216) 875-5600	
Emergency telephone numb In-Country Number CHEMTREC Global Number	:		llect)
Recommended use of the cl	hen	nical and restrictions on us	e
Recommended use	:	Industrial use	
Restrictions on use	:	Reserved for industrial and	professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Substance

Chemical nature : glass/frit

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice

: Do not leave the victim unattended.

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1133986 Product specification Version Material number	RS_FP_307428 2.1 1133986	CC274-2 Glaze Frit Revision Date Print Date Page	BAG50LB 02/16/2023 02/17/2023 Page 2 of 11
If inhaled		f unconscious, place in recovery p idvice.	osition and seek medical
In case of skin conta	r	Vash off immediately with soap an emoving all contaminated clothes f skin irritation persists, call a phys	and shoes.
In case of eye contac	F F F	Flush eyes with water as a precaut Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. f eye irritation persists, consult a s	
If swallowed	ץ [א	nduce vomiting immediately and c Keep respiratory tract clear. Do not give milk or alcoholic bevera Never give anything by mouth to ar f symptoms persist, call a physicia	ages. n unconscious person.
Most important symp and effects, both acu delayed		lone known.	
Notes to physician	: 1	reat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may scatter and spread fire.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid dust formation. Avoid breathing dust.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

_

(103 2012)						
1133986				CC274-2 Glaze Fr	it	BAG50LB
Product specification	RS_FP_3	074	28	Revision Date		02/16/2023
Version	2.1			Print Date		02/17/2023
Material number	1133986			Page		Page 3 of 11
			If the produc respective a	ct contaminates river uthorities.	rs and lak	kes or drains inform
Methods and materials for : containment and cleaning up			Clean contaminated floors and objects thoroughly while ob- serving environmental regulations. Keep in suitable, closed containers for disposal.			
SECTION 7. HANDLING	G AND STO)R/	AGE			
Advice on protection against : fire and explosion		Provide appropriate exhaust ventilation at places where dust is formed.				
Advice on safe handling :		For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Dispose of rinse water in accordance with local and national				
			regulations.			
Conditions for safe	storage	:	Keep contai place.	ner tightly closed in	a dry and	d well-ventilated
				stallations / working gical safety standar		must comply with
Materials to avoid		:		estrictions on storag s to be especially me		her products.
Further information age stability	on stor-	:	Keep in a dr No decompo	y place. osition if stored and	applied a	s directed.

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Respiratory protection :	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are un- known, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazard- ous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
--------------------------	--

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

	(1100 2012)							
	1133986				CC274-2 Glaze Frit		BAG50LB	
	Product specification Version Material number	RS_FP_30 2.1 1133986	074	28	Revision Date Print Date Page		02/16/2023 02/17/2023 Page 4 of 11	
_	Hand protection		:	nitrile-butyl-r mm and Bre for a specific ducers of the	tive gloves, for examp ubber gloves, or simil ak Through time: > 48 workplace should be protective gloves. Be with soap and water.	ar; Glov 30 minu discuss	ve thickness: > (tes. The suitabil sed with the pro	lity
	Eye protection		:	to the works	eyewash stations and tation location. safety goggles	safety	showers are clo	se
	Skin and body prote	ction	:	Protective su	uit			
	Protective measures	6	:	Wear suitabl	e protective equipmer	nt.		
	Hygiene measures		:	Remove con before enter	before breaks and at taminated clothing an ng eating areas. cordance with good ir	id prote	ctive equipment	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Burning rate	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

Lower explosion limit / Lower flammability limit Vapour pressure Relative vapour density Relative density	307428 ;	CC274-2 Glaze Frit Revision Date Print Date Page	BAG50LB 02/16/2023 02/17/2023 Page 5 of 11
Relative vapour density	: No data a	available	
	: No data a	available	
Relative density	: No data a	available	
	: No data a	available	
Density	: No data a	available	
Bulk density	: No data a	available	
Solubility(ies) Water solubility	: insoluble		
Solubility in other solvents	: No data a	available	
Partition coefficient: n- octanol/water	: No data a	available	
Auto-ignition temperature	: not deter	mined	
Decomposition temperature	: No data a	available	
Viscosity Viscosity, dynamic	: No data a	available	
Viscosity, kinematic	: No data a	available	
Explosive properties Oxidizing properties	: No data a : No data a		
Refractive index	: Not appli	icable	
Volatile organic compounds (VOC) content			
	: 0%		
	This proc U.S. Clea	duct does not contain any c an Air Act Section 111 SOC l0 CFR 60.489).	

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1133986		CC274-2 Glaze Frit	BAG50LB	
Product specification	RS_FP_307428	Revision Date	02/16/2023	
Version	2.1	Print Date	02/17/2023	
Material number	1133986	Page	Page 6 of 11	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	None, if used and stored as recommended.
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

inhalation (dust/mist/fume) Skin Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: Acute toxicity estimate: 2,500 mg/kg Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1133986		CC274-2 Glaze Frit	BAG50LB	
Product specification	RS_FP_307428	Revision Date	02/16/2023	
Version	2.1	Print Date	02/17/2023	
Material number	1133986	Page	Page 7 of 11	

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
No data available	
Persistence and degradability	
No data available	
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
Product:	
Ozone-Depletion Potential :	Regulation: 40 CFR Protection of Environment; Part 82 Pro- tection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufac-
	tured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological infor-	None known.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

mation

Waste from residues	 Send to a licensed waste management company. Dispose of wastes in an approved waste disposal facility. Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemi-
	Do not contaminate ponds, waterways of ditches with chemi-
	cal or used container.

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1133986		CC274-2 Glaze Frit	BAG50LB	
Product specification	RS_FP_307428	Revision Date	02/16/2023	
Version	2.1	Print Date	02/17/2023	
Material number	1133986	Page	Page 8 of 11	

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

reporting levels established by SARA Title III, Section 313.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

5

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis)

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1133986		CC274-2 Glaze Frit	BAG50LB	
Product specification	RS_FP_307428	Revision Date	02/16/2023	
Version	2.1	Print Date	02/17/2023	
Material number	1133986	Page	Page 9 of 11	

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

This product contains components that are reportable under the regulation.

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

New Jersey Right To Know

This product contains components that are reportable under the regulation.

The components of this product are reported in the following inventories:

TCSI (Taiwan)	:	On the inventory, or in compliance with the inventory
TSCA (United States)	:	All substances listed as active on the TSCA inventory
AIIC (Australia)	:	On the inventory, or in compliance with the inventory
DSL/NDSL (Canada)	:	All components of this product are on the Canadian DSL
ENCS (Japan)	:	On the inventory, or in compliance with the inventory
ISHL (Japan)	:	On the inventory, or in compliance with the inventory
KECI (Korea)	:	On the inventory, or in compliance with the inventory
PICCS (Philippines)	:	On the inventory, or in compliance with the inventory
IECSC (China)	:	On the inventory, or in compliance with the inventory

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1133986 Product specification Version Material number	RS_FP_307428 2.1 1133986	CC274-2 Glaze Frit Revision Date Print Date Page	BAG50LB 02/16/2023 02/17/2023 Page 10 of 11
NZioC (New Zealand	d) : On the ir	nventory, or in compliance	e with the inventory
SWISS (Switzerland) : On the ir	ventory, or in compliance	e with the inventory
EINECS (European	Union) : On the ir	ventory, or in compliance	e with the inventory
CICR (Turkey)	: On the ir	ventory, or in compliance	e with the inventory
TECI (Thailand)	: On the ir	nventory, or in compliance	e with the inventory

TSCA list

No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1133986		CC274-2 Glaze Frit	BAG50LB
Product specification	RS_FP_307428	Revision Date	02/16/2023
Version	2.1	Print Date	02/17/2023
Material number	1133986	Page	Page 11 of 11

Sources of key data used to	:	[1] Estudio de Evaluación de Riesgos de la Fritas Cerámicas,
compile the Safety Data		Universitat Jaume I, 2005[2] Modelling Study of Ceramic Frits
Sheet		Formulation for their Classification in REACH, Universtat
		Jaume I, 2009[3] 2009 Validity Assessement of the Exemption
		Dossier Cera

Revision Date : 02/16/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN