According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1027480		3195-2 Glaze Frit	50 Lb bag
Product specification	RS_FP_307428	Revision Date	02/16/2023
Version	2.1	Print Date	02/17/2023
Material number	1027480	Page	Page 1 of 11

SECTION 1. IDENTIFICATION

Product name	:	1027480 3195-2 Glaze Frit 50 Lb bag
Product code	:	1027480
Manufacturer or supplier's of	deta	ails
Company name of supplier	:	Vibrantz Corporation
Address	:	6060 Parkland Blvd. Suite 250 Mayfield Heights OH 44124-4185
Telephone	:	(216) 875-5600
Emergency telephone numb In-Country Number CHEMTREC Global Number	:	(800)424-9300 +(1)-703-527-3887 (Call Collect)
Recommended use of the cl	hen	nical and restrictions on use
Recommended use	:	Industrial use
Restrictions on use	:	Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Substance

Chemical nature : glass/frit

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice

: Do not leave the victim unattended.

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

Version	RS_FP_30742 2.1 1027480	3195-2 Glaze Frit Revision Date Print Date Page	50 Lb bag 02/16/2023 02/17/2023 Page 2 of 11		
If inhaled		f unconscious, place in recovery advice.	position and seek medical		
In case of skin contact :		Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.			
In case of eye contact	1	Flush eyes with water as a preca Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing f eye irritation persists, consult a].		
If swallowed	 	nduce vomiting immediately and Keep respiratory tract clear. Do not give milk or alcoholic beve Never give anything by mouth to f symptoms persist, call a physic	erages. an unconscious person.		
Most important sympto and effects, both acute delayed		None known.			
Notes to physician	: -	reat symptomatically.			

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may scatter and spread fire.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid dust formation. Avoid breathing dust.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

(1103 2012)					
1027480				3195-2 Glaze Frit	0
Product specification Version Material number	RS_FP_3 2.1 1027480	80742	28	Revision Date Print Date	02/16/2023 02/17/2023
Material number	1027480			Page	Page 3 of 11
			If the produc respective a		ers and lakes or drains inform
Methods and mat containment and		:	serving envi	minated floors and ronmental regulatio able, closed contair	
SECTION 7. HANDLIN	NG AND STO	ORA	GE		
Advice on protect fire and explosion		:	Provide app is formed.	ropriate exhaust ve	ntilation at places where dust
Advice on safe handling :		:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area.		
			Dispose of r regulations.	inse water in accore	dance with local and national
Conditions for saf	e storage	:	Keep contai	ner tightly closed in	a dry and well-ventilated
			Electrical ins	stallations / working gical safety standa	materials must comply with rds.
Materials to avoid	l	:	•	estrictions on storages to be especially m	ge with other products. entioned.
Further informatio	on on stor-	:	Keep in a dr No decompo		applied as directed.

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	:	Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Respiratory protection :	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are un- known, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazard- ous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
--------------------------	--

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

(100	2012)					
10274	480			3195-2 Glaze Frit	50 Lb bag	
Versic	ct specification on ial number	RS_FP_307 2.1 1027480	7428	Revision Date Print Date Page	02/16/2023 02/17/2023 Page 4 of 11	
ŀ	Hand protection	:	nitrile-butyl-r mm and Bre for a specific ducers of the	ubber gloves, or simi ak Through time: > 4 c workplace should be	ple: polyvinyl alcohol or ilar; Glove thickness: > (80 minutes. The suitabi e discussed with the pro sefore removing gloves	0.4 lity
E	Eye protection	:	to the works	eyewash stations and tation location. safety goggles	d safety showers are clo	ose
5	Skin and body proted	ction :	Protective s	uit		
F	Protective measures	:	Wear suitab	le protective equipme	ent.	
ł	Hygiene measures	:	Remove cor before enter	ntaminated clothing a ing eating areas.	it the end of workday. nd protective equipmen industrial hygiene and s	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Burning rate	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1027480 Product specification Version	RS_FP_3 2.1	07428	3195-2 Glaze Frit Revision Date Print Date	02/16/2023 02/17/2023
Material number	1027480		Page	Page 5 of 11
Lower explosion limi flammability limit	it / Lower	: No data	a available	
Vapour pressure		: No data	a available	
Relative vapour den	sity	: No data	a available	
Relative density		: No data	a available	
Density		: No data	a available	
Bulk density		: No data	a available	
Solubility(ies) Water solubility		: insolub	le	
Solubility in other	r solvents	: No data	a available	
Partition coefficient: octanol/water	n-	: No data	a available	
Auto-ignition temper	ature	: not det	ermined	
Decomposition temp	oerature	: No data	a available	
Viscosity Viscosity, dynam	ic	: No data	a available	
Viscosity, kinema	atic	: No data	a available	
Explosive properties Oxidizing properties			a available a available	
Refractive index		: Not app	plicable	
Volatile organic com (VOC) content	pounds	: 0%		
		U.S. CI		any chemicals listed under the SOCMI Intermediate or Final
			oduct does not contain he U.S. Clean Air Act S	any VOC exemptions listed ection 450.

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1027480		3195-2 Glaze Frit	50 Lb bag
Product specification	RS_FP_307428	Revision Date	02/16/2023
Version	2.1	Print Date	02/17/2023
Material number	1027480	Page	Page 6 of 11

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	None, if used and stored as recommended.
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

inhalation (dust/mist/fume) Skin Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: Acute toxicity estimate: 2,500 mg/kg Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

- **IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- **OSHA** No component of this product present at levels greater than or equal to 0.1% is

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1027480		3195-2 Glaze Frit	50 Lb bag
Product specification	RS_FP_307428	Revision Date	02/16/2023
Version	2.1	Print Date	02/17/2023
Material number	1027480	Page	Page 7 of 11

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
No data available	
Persistence and degradability	
No data available	
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
Product:	
Ozone-Depletion Potential :	Regulation: 40 CFR Protection of Environment; Part 82 Pro- tection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufac-
	tured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological infor-	None known.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

mation

Waste from residues	: Send to a licensed waste management company.
	Dispose of wastes in an approved waste disposal facility.
	Do not dispose of waste into sewer.
	Do not contaminate ponds, waterways or ditches with chemi-
	cal or used container.

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1027480		3195-2 Glaze Frit	50 Lb bag
Product specification	RS_FP_307428	Revision Date	02/16/2023
Version	2.1	Print Date	02/17/2023
Material number	1027480	Page	Page 8 of 11

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

reporting levels established by SARA Title III, Section 313.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

:

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis)

Clean Air Act

_ . _

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1027480		3195-2 Glaze Frit	50 Lb bag	
Product specification	RS_FP_307428	Revision Date	02/16/2023	
Version	2.1	Print Date	02/17/2023	
Material number	1027480	Page	Page 9 of 11	

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

This product contains components that are reportable under the regulation.

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

New Jersey Right To Know

This product contains components that are reportable under the regulation.

The components of this product are reported in the following inventories:

TCSI (Taiwan)	:	On the inventory, or in compliance with the inventory
TSCA (United States)	:	All substances listed as active on the TSCA inventory
AIIC (Australia)	:	On the inventory, or in compliance with the inventory
DSL/NDSL (Canada)	:	All components of this product are on the Canadian DSL
ENCS (Japan)	:	On the inventory, or in compliance with the inventory
ISHL (Japan)	:	On the inventory, or in compliance with the inventory
KECI (Korea)	:	On the inventory, or in compliance with the inventory
PICCS (Philippines)	:	On the inventory, or in compliance with the inventory
IECSC (China)	:	On the inventory, or in compliance with the inventory

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1027480 Product specification Version Material number	RS_FP_307428 2.1 1027480	3195-2 Glaze Frit Revision Date Print Date Page	50 Lb bag 02/16/2023 02/17/2023 Page 10 of 11
NZioC (New Zealan	d) : On the	inventory, or in compliar	nce with the inventory
SWISS (Switzerland	l) : On the	inventory, or in complian	nce with the inventory
EINECS (European	Union) : On the	inventory, or in complian	nce with the inventory
CICR (Turkey)	: On the	inventory, or in complian	nce with the inventory
TECI (Thailand)	: On the	inventory, or in complian	nce with the inventory

TSCA list

No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1027480		3195-2 Glaze Frit	50 Lb bag
Product specification	RS_FP_307428	Revision Date	02/16/2023
Version Material number	2.1 1027480	Print Date Page	02/17/2023 Page 11 of 11
Material Hamber	1021400	1 ugo	

Sources of key data used to compile the Safety Data	:	[1] Estudio de Evaluación de Riesgos de la Fritas Cerámicas, Universitat Jaume I, 2005[2] Modelling Study of Ceramic Frits
Sheet		Formulation for their Classification in REACH, Universtat Jaume I, 2009[3] 2009 Validity Assessement of the Exemption Dossier Cera

Revision Date : 02/16/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN