



Distributed by:
 Laguna Clay Company
 14400 Lomitas Ave
 City of Industry, CA 91746
 1-800-4Laguna
 info@lagunaclay.com
 www.lagunaclay.com



Ferro Corporation
 Performance Pigments & Colors
 251 West Wylie Ave.
 Washington, PA 15301 USA

Emergency telephone number
 CHEMTREC: 1-800-424-9300
 CHEMTREC (outside U.S.): 1-703-527-3887
 Phone Number: 1-724-223-5900

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: C-464EZL YELLOW 100 **Date of Preparation:** 12/20/2011
Chemical Family: Inorganic Pigment
CAS-No.: Mixture
Product Code: 1360760

2. HAZARDS IDENTIFICATION

Emergency Overview

Caution
 May cause respiratory tract, eye and skin irritation.

		HMIS	NFPA 704
Color:	Yellow	1	1
Physical state:	Powder	0	0
Odor:	None	0	0
		B	

Potential Health Effects

Principle routes of exposure: Inhalation, ingestion, skin and eye contact.
Eye contact: Contact with eyes may cause irritation.
Skin contact: Prolonged skin contact may cause skin irritation.
Inhalation: Over-exposure by inhalation may cause respiratory irritation.
Ingestion: May irritate digestive tract.
Chronic toxicity: Excessive inhalation of fumes or dust may cause chemical pneumonitis, cyanosis, and pulmonary edema.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Weight %
Vanadium zirconium yellow baddelevite	68187-01-9	60 - 70%
Zirconium iron pink zircon	68412-79-3	10 - 20%
Zircon praeaseodymium yellow	68187-15-5	10 - 20%
Silica, fumed	112945-52-5	0.5 - 1%

This product contains trace quantities of naturally occurring radioactive uranium, thorium and radium (<0.02% total). Overexposure by inhalation to respirable dusts containing uranium, thorium and radium may cause cancer, however, observance of the OSHA limit for respirable dusts of 5 mg/m³ will ensure the use of this product to be well below the regulatory limits established for these components.

4. FIRST AID MEASURES

Eye contact: Rinse immediately with plenty of water, also under the eyelids. Get medical attention if irritation develops.

Laguna Clay Company www.Lagunaclay.com 1-800-4Laguna info@Lagunaclay.com

Skin contact: Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. If symptoms persist, call a physician.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion: Drink plenty of water. Do not induce vomiting. Consult a physician if necessary.

Notes to physician: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point (°C): Non combustible

Suitable extinguishing media: Carbon dioxide (CO₂). Dry chemical. Water spray mist or foam.

Hazardous decomposition products: Thermal decomposition can lead to release of irritating gases and vapors. Heavy metal compounds.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus (pressure-demand, NIOSH approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

Methods for cleaning up: Wear personal protective equipment. Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly. Dispose of promptly.

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not eat, drink, or smoke in areas of use or storage. Do not take internally. Wash thoroughly after handling. Use only in well-ventilated areas. Avoid prolonged contact with eyes, skin and clothing.

Storage: Keep in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits

Additional Exposure Info. Minimize exposure in accordance with good hygiene practice.

Components	OSHA	ACGIH
Vanadium zirconium yellow baddelevite	5 mg/m ³ TWA Zr	10 mg/m ³ STEL Zr 5 mg/m ³ TWA Zr
Zirconium iron pink zircon	5 mg/m ³ TWA Zr	10 mg/m ³ STEL Zr 5 mg/m ³ TWA Zr
Zircon praeaseodymium yellow	5 mg/m ³ TWA Zr	10 mg/m ³ STEL Zr 5 mg/m ³ TWA Zr

Engineering measures: Provide appropriate exhaust ventilation at machinery and at places where dust or fumes can be generated. Ensure that eyewash stations and safety showers are proximal to the workstation location.

Eye protection: Safety glasses with side-shields.

Skin and body protection:	Lightweight protective clothing. Keep working clothes separately. Remove and wash contaminated clothing before re-use.
Hand protection:	Impervious gloves.
Respiratory protection:	NIOSH-approved respirators should be worn where engineering controls and work practices do not reduce exposure to or below the PEL. Wear NIOSH approved respirator to limit exposure to NORM. Seek professional advice prior to respirator selection and use. In case of insufficient ventilation wear suitable respiratory equipment .
Hygiene measures:	Wash hands before breaks and at the end of workday. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	Yellow	Physical state:	Powder
Odor:	None	Molecular weight:	No data available
Boiling point/range (°C):	No data available	pH:	No data available
Melting point/range (°C):	No data available	Specific gravity (Water =1):	No data available
Vapor density:	Non-volatile	Vapor pressure :	No data available
Evaporation Rate (Water = 1)	Non-volatile	Water solubility:	Insoluble
VOC content (%)	0		

10. STABILITY AND REACTIVITY

Stability:	Stable at normal conditions.
Polymerization	Will not occur.
Hazardous decomposition products:	No decomposition if stored normally. Thermal decomposition can lead to release of irritating gases and vapors.
Materials to avoid:	None known.
Conditions to avoid	None known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:	Information given is based on data on the components and the toxicology of similar products
Target Organ Effects:	Vanadium: Eyes, respiratory system.
Component information, if any, is listed below	
Silica, fumed	
LD50s and LC50s:	Oral LD50 (Rat) = 3160 mg/kg

12. ECOLOGICAL INFORMATION

Aquatic toxicity:	No data is available on the product itself. Information given is based on data on the components and the ecotoxicology of similar products.
Persistence and degradability:	No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:	Waste must be disposed of in accordance with federal, state and local environmental control regulations. Where possible recycling is preferred to disposal or incineration. This product contains Naturally Occuring Radioactive Materials (NORM). Consult and comply with current regulations.
-----------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

14. TRANSPORT INFORMATION**DOT (U.S.)**

Proper shipping name: Not regulated.

TDG (Canada)

Proper shipping name: Not regulated.

15. REGULATORY INFORMATION**U.S. Regulations:****TSCA:** Not subject to TSCA 12(b) Export Notification**SARA 313:**

Components	U.S. - CERCLA/SARA - Section 313 - Emission Reporting
Vanadium compounds (1 - 5%)	1.0 % de minimis concentration

State Regulations

This product or its ingredients have been evaluated for New Jersey, Pennsylvania, and California Prop 65 supplier notification requirements. Substances that are subject to notification requirements, if any, are listed below.

Components	PARTK:
Vanadium compounds	Listed (PARTK)

Components	NJRTK:
Vanadium compounds	Listed (NJRTK)

Canadian WHMIS**WHMIS hazard class:** Non-controlled**Canadian Ingredient Disclosure List (IDL):**

Components	Canada - WHMIS Ingredient Disclosure:
Vanadium compounds	1

International Inventories

TSCA 8(b): Listed or exempt.
Canadian DSL/NDSL list All ingredient(s) are listed on the DSL or NDSL
EC-No. Listed or exempt.
Philippines (PICCS): Listed.
Japan (ENCS): Listed or exempt.
Korea (KECL): One or more ingredient(s) are not on the KECL list.
China (IECS): Listed.
Australia (AICS): Listed.
New Zealand (NZIoC): Listed.

16. OTHER INFORMATION**For Industrial Use Only.****Prepared by:** Ferro Technical Center

Laguna Clay Company www.Lagunaclay.com 1-800-4Laguna info@Lagunaclay.com

Disclaimer: The information and recommendations contained in this Material Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what safety measures are necessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance obligations under any applicable federal or state laws.

End of Safety Data Sheet



Distributed by:
Laguna Clay Company
14400 Lomitas Ave
City of Industry, CA 91746
1-800-4Laguna
info@lagunaclay.com
www.lagunaclay.com