

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: CERAMIC PIGMENT

Orange Inclusion

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Product name : CERAMIC PIGMENT

Product No. : SCWPF945200

Manufacturer/supplier identification

Company: FOSHAN WELLHOPE CERAMIC MATERIAL CO.,LTD

Address : No.808.No.1 Building Attachment,Creative Industry Park,No.33,The
4th Jihua Road,Chancheng.Foshan.Guangdong.China

Emergency phone No. : 86-757-82714883

2. Composition/information on ingredients

Chemical nature

Material Name	Weight (%)	Hazardous classified
CERAMIC PIGMENT	≥ 98%	Not hazardous

3. Hazards identification

No hazardous product.

4. First aid measures

Inhalation : Move subject to fresh air.

Skin contact : Wash affected skin area thoroughly with soap and water.

Eye contact : Flush eyes with water. Consult a physician if irritation persists.

Ingestion : If swallowed, give 2 glasses of water to drink.

5. Fire-fighting measures

Suitable extinguisher : In adoption to materials stored in the immediate neighborhood.

Special risks : Non-combustible.

Special protective equipment for fire fighting : Do not stay in dangerous zone without self-contained breathing apparatus.

6. Accidental release measures

Person-related precautionary measures : Avoid generation of dusts; do not inhale dusts.

Procedures for cleaning / absorption : Don't wipe the dusts directly. Should use

water absorbent cleaners to dusts spread out.

7. Handling and storage

Handling : No further requirements.

Storage : Tightly closed. Dry. Storage temperature: no restrictions.

8. Exposure controls/personal protection

Personal protective equipment :

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection : Required when dusts are generated.

Eye protection : Required

Hand protection : Use recommended

Industrial hygiene : Change contaminated clothing. Wash hands after working with substance.

9. Physical and chemical properties

Form : Powder	
Color : ORANGE YELLOW	Odor : odorless
pH value : not available	Melting point /Boiling point : 1550degree
Flash point : not available	Ignition temperature : not available
Explosion limits(lower) : not available	Solubility in water (20 °C) : insoluble
Explosion limits(upper) : not available	

10. Stability and reactivity

Conditions to be avoided : No information available.

Substances to be avoided : No information available.

Hazardous decomposition products : No information available.

11. Toxicological information

Acute toxicity : Quantitative data on the toxicity of this product are not available.

Further toxicological information : Properties that cannot be excluded:

Inhalation of dust : Slight irritations, coughing.

Skin contact : Slight irritations.

Eye contact : Slight irritations.

Ingestion : Only very slightly absorbable via the gastrointestinal tract.

Further data

The product should be handled with the care usual when dealing with chemicals.

12. Ecological information

Economic effects :

Quantitative data on the ecological effect of this product are not available.

Further ecologic data :

No ecological problems are to be expected when the product is handled and used with due care and attention.

13. Disposal considerations

Product : No special requirements. Properly disposal.

Packaging : No special requirements. Properly disposal.

14. Transport information

Not classified as hazardous under transport regulations.

15. Regulatory information

Not classified as hazardous under "Toxic chemical substances legislations"(EPA, ROC)

16. Other information

Responsible : Mr TIAN HONG XIN

Phone No. : 86-757-82714883

Fax No. : 86-757-82714882

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

FOSHAN WELLHOPE CERMIC MATERIAL CO.,LTD

